ELSEVIER

Chemical Engineering Journal 92 (2003) 255

Chemical Engineering Journal

www.elsevier.com/locate/cej

# Author Index of Volume 92

Adesina, A.A. 101
Aguado, R. 91
Aguayo, A.T. 141
Aguilar, R. 69
Alves, J.A. 41
Assabumrungrat, S. 131

Balasubramanian, V. 15
Barreto, G.F. 41
Beenackers, A.A.C.M. 151
Bernis, A. 215
Bilbao, J. 91, 141
Bressa, S.P. 41

Carrara, C.R. 123
Castillo, F.J.L. 201
Charinpanitkul, T. 81
Chen, C.-Y. 177
Commenges, N. 215
Corbel, S. 55

Dagaonkar, M.V. 151
Domínguez, J.M. 1
Dufaud, O. 55

Ereña, J. 141

Fan, L.-S. 169
Ferrat, G. 1
Fitch, A.W. 243

Gaisán, B. 91
Gayubo, A.G. 141
Georgiou, A. 185
Gonthier, Y. 215
Gonze, E. 215
Guo, Q. 63
Gutierrez, M. 1

Heeres, H.J. 151
Hsieh, L.-T. 177
Huilin, G. 237

Ingemar Odenbrand, C.U. 27
Iyengar, S.R.K. 15

Jayaraman, G. 15
Jin, Y. 111
Jing'en, Z. 237

Kachasakul, P. 131
Kiang, C.D. 193
Kobylka, L.C. 201
Kulkarni, P.S. 209
Künkel, C. 27
Kupiec, K. 185

Li, C.-T. 177
Lin, S.H. 193
López, L. 1

Mammarella, E.J. 123
Mantilla, A. 1
Mariani, N.J. 41
Martínez, O.M. 41
Maubert, M. 1
Maya-Yescas, R. 69

Ni, X. 243

Olazar, M. 91

Pancharoen, U. 131
Pangarkar, V.G. 151
Pareek, V.K. 101
Pavasant, P. 81
Praserthdam, P. 131
Prieto, R. 91

Qian, Z. 161

Ren, F. 111
Renken, A. 7
Rubiolo, A.C. 123

Sharma, R. 101
Shih, M. 177
Srivastava, A. 101

Torres, M. 1
Tsai, P.-J. 177

Vivanco, R. 141

Wang, J. 111
Wang, T. 111
Wasylkiewicz, S.K. 201
Wei, F. 161
Werther, J. 63
Westerberg, B. 27
Wongsuchoto, P. 81

Yang, J. 7
Yang, R. 177
Yaorong, F. 237
Yu, H. 161
Yuhu, D. 237

Zhang, J. 63, 169
Zhang, M. 161
Zhao, Y.Q. 227

PII: S1385-8947(03)00039-1

ELSEVIER

Chemical Engineering Journal 92 (2003) 257–259

Chemical Engineering Journal

www.elsevier.com/locate/cej

# Subject Index of Volume 92

Aftertreatment
Transient modelling of a HC-SCR catalyst for diesel exhaust aftertreatment, 27
Airlift contactor
Bubble size distribution and gas–liquid mass transfer in airlift contactors, 81
Alum sludge
Correlations between floc physical properties and optimum polymer dosage in alum sludge conditioning and dewatering, 227
Anionic and cationic resins
Chromic acid recovery from waste acid solution by an ion exchange process: equilibrium and column ion exchange modeling, 193
Apparent drag force
A generalized correlation for equilibrium of forces in liquid–solid fluidized beds, 7
Aqueous acidic waste
Recovery of uranium(VI) from acidic wastes using tri-*n*-octylphosphine oxide and sodium carbonate based liquid membranes, 209
Axial dispersion coefficient
On the determination of axial dispersion coefficient in a batch oscillatory baffled column using laser induced fluorescence, 243
Axial dispersion flow
Prediction of the fixed-bed reactor behaviour using dispersion and plug-flow models with different kinetics for immobilised enzyme, 123

Basset force
On the rise velocity of an interactive bubble in liquids, 169
Binary mixture
Jetting transition velocity in a jetting fluidized bed with two nozzles, 63
Biodegradability
High frequency ultrasound as a pre- or a post-oxidation for paper mill wastewaters and landfill leachate treatment, 215
Bubble
Application of Doppler ultrasound velocimetry in multiphase flow, 111
Bubble rise velocity
On the rise velocity of an interactive bubble in liquids, 169
Bubble size
Bubble size distribution and gas–liquid mass transfer in airlift contactors, 81
Bubble size distribution
Bubble size distribution and gas–liquid mass transfer in airlift contactors, 81
Bubble wake
On the rise velocity of an interactive bubble in liquids, 169
Bubble–bubble interaction
On the rise velocity of an interactive bubble in liquids, 169
Bubble–liquid systems
On the rise velocity of an interactive bubble in liquids, 169

Cell residence time
On the determination of axial dispersion coefficient in a batch oscillatory baffled column using laser induced fluorescence, 243
CFB downer
The near wall dense ring in a large-scale down-flow circulating fluidized bed, 161
Chromic acid recovery
Chromic acid recovery from waste acid solution by an ion exchange process: equilibrium and column ion exchange modeling, 193
Column adsorption
Chromic acid recovery from waste acid solution by an ion exchange process: equilibrium and column ion exchange modeling, 193
Compressible fluid
Mathematical modeling of gas release through holes in pipelines, 237
Conditioning
Correlations between floc physical properties and optimum polymer dosage in alum sludge conditioning and dewatering, 227
Control
Controllability assessment approach for chemical reactors: nonlinear control affine systems, 69
Controllability
Controllability assessment approach for chemical reactors: nonlinear control affine systems, 69
Curved tube
Influence of secondary flow on diffusion with heterogeneous reaction, 15
Cyclohexene oxide
Extractive reaction for epoxidation of cyclohexene to cyclohexene oxide using dioxirane in ketone/Oxone® system, 131

Decomposition
Reaction mechanism of 1,2-dichloroethane/$O_2$/Ar in the cold plasma environment, 177
Dense ring
The near wall dense ring in a large-scale down-flow circulating fluidized bed, 161
Dewatering
Correlations between floc physical properties and optimum polymer dosage in alum sludge conditioning and dewatering, 227
1,2-Dichloroethane
Reaction mechanism of 1,2-dichloroethane/$O_2$/Ar in the cold plasma environment, 177
Diesel exhaust
Transient modelling of a HC-SCR catalyst for diesel exhaust aftertreatment, 27
Diffusion
Oxygen diffusion in ceramic suspensions for stereolithography, 55
Dioxirane
Extractive reaction for epoxidation of cyclohexene to cyclohexene oxide using dioxirane in ketone/Oxone® system, 131
Doppler angle
Application of Doppler ultrasound velocimetry in multiphase flow, 111
Doppler ultrasound velocimetry
Application of Doppler ultrasound velocimetry in multiphase flow, 111
Dynamics
Controllability assessment approach for chemical reactors: nonlinear control affine systems, 69

PII: S1385-8947(03)00040-8

Effective gravitational force
A generalized correlation for equilibrium of forces in liquid–solid fluidized beds, 7
Enhanced gas absorption
The application of fine $TiO_2$ particles for enhanced gas absorption, 151
Epoxidation
Extractive reaction for epoxidation of cyclohexene to cyclohexene oxide using dioxirane in ketone/Oxone® system, 131
Equilibrium
Chromic acid recovery from waste acid solution by an ion exchange process: equilibrium and column ion exchange modeling, 193
Expansion
A generalized correlation for equilibrium of forces in liquid–solid fluidized beds, 7
Extractive reaction
Extractive reaction for epoxidation of cyclohexene to cyclohexene oxide using dioxirane in ketone/Oxone® system, 131

FCC
Controllability assessment approach for chemical reactors: nonlinear control affine systems, 69
Modeling of a non-isothermal FCC riser, 101
Fickian diffusion
Nonlinear driving force approximation for intraparticle mass transfer in adsorption processes. Nonlinear isotherm systems with macropore diffusion control, 185
Fixed bed reactor
Study of the regeneration stage of the MTG process in a pseudoadiabatic fixed bed reactor, 141
Fixed-bed reactor
Prediction of the fixed-bed reactor behaviour using dispersion and plug-flow models with different kinetics for immobilised enzyme, 123
Floc density
Correlations between floc physical properties and optimum polymer dosage in alum sludge conditioning and dewatering, 227
Floc size
Correlations between floc physical properties and optimum polymer dosage in alum sludge conditioning and dewatering, 227
Fluidization
A generalized correlation for equilibrium of forces in liquid–solid fluidized beds, 7
Four-step ion exchange process
Chromic acid recovery from waste acid solution by an ion exchange process: equilibrium and column ion exchange modeling, 193
Fractal dimension
Correlations between floc physical properties and optimum polymer dosage in alum sludge conditioning and dewatering, 227
Freundlich isotherm
Nonlinear driving force approximation for intraparticle mass transfer in adsorption processes. Nonlinear isotherm systems with macropore diffusion control, 185

Heat of reaction
Modeling of a non-isothermal FCC riser, 101
Heterogeneous azeotropic distillation
Synthesis and design of heterogeneous separation systems with recycle streams, 201
Hydrogenation
Analysis of operating variables on the performance of a reactor for total hydrogenation of olefins in a $C_3$–$C_4$ stream, 41
HZSM-5 zeolite
Study of the regeneration stage of the MTG process in a pseudoadiabatic fixed bed reactor, 141

Interface transfer
Influence of secondary flow on diffusion with heterogeneous reaction, 15
Isotherms
Chromic acid recovery from waste acid solution by an ion exchange process: equilibrium and column ion exchange modeling, 193

Jetting fluidized bed
Jetting transition velocity in a jetting fluidized bed with two nozzles, 63
Jetting transition gas velocity
Jetting transition velocity in a jetting fluidized bed with two nozzles, 63

Kinetic reaction parameters
Prediction of the fixed-bed reactor behaviour using dispersion and plug-flow models with different kinetics for immobilised enzyme, 123
Kinetics
Transient modelling of a HC-SCR catalyst for diesel exhaust after-treatment, 27
Nonlinear driving force approximation for intraparticle mass transfer in adsorption processes. Nonlinear isotherm systems with macropore diffusion control, 185

Landfill leachate
High frequency ultrasound as a pre- or a post-oxidation for paper mill wastewaters and landfill leachate treatment, 215
Large-scale
The near wall dense ring in a large-scale down-flow circulating fluidized bed, 161
Laser induced fluorescence
On the determination of axial dispersion coefficient in a batch oscillatory baffled column using laser induced fluorescence, 243
Liquid membrane
Recovery of uranium(VI) from acidic wastes using tri-*n*-octylphosphine oxide and sodium carbonate based liquid membranes, 209

Macropore diffusion control
Nonlinear driving force approximation for intraparticle mass transfer in adsorption processes. Nonlinear isotherm systems with macropore diffusion control, 185
Mass transfer
Bubble size distribution and gas–liquid mass transfer in airlift contactors, 81
Mixing time
On the determination of axial dispersion coefficient in a batch oscillatory baffled column using laser induced fluorescence, 243
Modeling
Mathematical modeling of gas release through holes in pipelines, 237

$NO_x$ reduction
Transient modelling of a HC-SCR catalyst for diesel exhaust after-treatment, 27
Non-isothermal
Modeling of a non-isothermal FCC riser, 101
Nonlinear driving force
Nonlinear driving force approximation for intraparticle mass transfer in adsorption processes. Nonlinear isotherm systems with macropore diffusion control, 185

Olefins and di-olefins
Analysis of operating variables on the performance of a reactor for total hydrogenation of olefins in a $C_3$–$C_4$ stream, 41
Optimum dose
Correlations between floc physical properties and optimum polymer dosage in alum sludge conditioning and dewatering, 227
Oscillatory baffled column
On the determination of axial dispersion coefficient in a batch oscillatory baffled column using laser induced fluorescence, 243
Oxygen inhibition
Oxygen diffusion in ceramic suspensions for stereolithography, 55

Paper mill wastewaters
High frequency ultrasound as a pre- or a post-oxidation for paper mill wastewaters and landfill leachate treatment, 215
Particle and liquid velocity
Application of Doppler ultrasound velocimetry in multiphase flow, 111
Particle to interface adhesion isotherm
The application of fine $TiO_2$ particles for enhanced gas absorption, 151
Pd catalyst
Analysis of operating variables on the performance of a reactor for total hydrogenation of olefins in a $C_3$–$C_4$ stream, 41
Pentachlorophenol
High frequency ultrasound as a pre- or a post-oxidation for paper mill wastewaters and landfill leachate treatment, 215
Plasma
Reaction mechanism of 1,2-dichloroethane/$O_2$/Ar in the cold plasma environment, 177
Plug-flow model
Prediction of the fixed-bed reactor behaviour using dispersion and plug-flow models with different kinetics for immobilised enzyme, 123
Polymer
Correlations between floc physical properties and optimum polymer dosage in alum sludge conditioning and dewatering, 227
Polystyrene pyrolysis
Kinetics of polystyrene pyrolysis in a conical spouted bed reactor, 91
Post-oxidation
High frequency ultrasound as a pre- or a post-oxidation for paper mill wastewaters and landfill leachate treatment, 215
Power spectrum density function
Jetting transition velocity in a jetting fluidized bed with two nozzles, 63
Pre-oxidation
High frequency ultrasound as a pre- or a post-oxidation for paper mill wastewaters and landfill leachate treatment, 215
PZT
Oxygen diffusion in ceramic suspensions for stereolithography, 55

Radio frequency (rf)
Reaction mechanism of 1,2-dichloroethane/$O_2$/Ar in the cold plasma environment, 177
Reaction mechanism
Reaction mechanism of 1,2-dichloroethane/$O_2$/Ar in the cold plasma environment, 177
Reactors
Controllability assessment approach for chemical reactors: nonlinear control affine systems, 69
Recycles
Synthesis and design of heterogeneous separation systems with recycle streams, 201
Regeneration stage
Study of the regeneration stage of the MTG process in a pseudoadiabatic fixed bed reactor, 141
Release rate
Mathematical modeling of gas release through holes in pipelines, 237
Riser modeling
Modeling of a non-isothermal FCC riser, 101

Secondary flows
Influence of secondary flow on diffusion with heterogeneous reaction, 15
Sludge properties
Correlations between floc physical properties and optimum polymer dosage in alum sludge conditioning and dewatering, 227
Sodium carbonate
Recovery of uranium(VI) from acidic wastes using tri-*n*-octylphosphine oxide and sodium carbonate based liquid membranes, 209
Solid concentration
Application of Doppler ultrasound velocimetry in multiphase flow, 111
Solids fraction distribution
The near wall dense ring in a large-scale down-flow circulating fluidized bed, 161
Sonic flow
Mathematical modeling of gas release through holes in pipelines, 237
Spectral method
Influence of secondary flow on diffusion with heterogeneous reaction, 15
Steady state
Controllability assessment approach for chemical reactors: nonlinear control affine systems, 69
Stereolithography
Oxygen diffusion in ceramic suspensions for stereolithography, 55
Stirred cell reactor
The application of fine $TiO_2$ particles for enhanced gas absorption, 151
Surface renewal model
The application of fine $TiO_2$ particles for enhanced gas absorption, 151
Suspensions
Oxygen diffusion in ceramic suspensions for stereolithography, 55
Synthesis
Synthesis and design of heterogeneous separation systems with recycle streams, 201

Tanks-in-series-model
On the determination of axial dispersion coefficient in a batch oscillatory baffled column using laser induced fluorescence, 243
Temperature profiles
Modeling of a non-isothermal FCC riser, 101
Thermal degradation
Kinetics of polystyrene pyrolysis in a conical spouted bed reactor, 91
Three-phase reactor
Analysis of operating variables on the performance of a reactor for total hydrogenation of olefins in a $C_3$–$C_4$ stream, 41
$TiO_2$ particles
The application of fine $TiO_2$ particles for enhanced gas absorption, 151
Toxicity
High frequency ultrasound as a pre- or a post-oxidation for paper mill wastewaters and landfill leachate treatment, 215
Transient modelling
Transient modelling of a HC-SCR catalyst for diesel exhaust after-treatment, 27
Tri-*n*-octylphosphine oxide (TOPO)
Recovery of uranium(VI) from acidic wastes using tri-*n*-octylphosphine oxide and sodium carbonate based liquid membranes, 209

Ultrasound
High frequency ultrasound as a pre- or a post-oxidation for paper mill wastewaters and landfill leachate treatment, 215
Unsteady state
Mathematical modeling of gas release through holes in pipelines, 237
Uranium(VI) recovery
Recovery of uranium(VI) from acidic wastes using tri-*n*-octylphosphine oxide and sodium carbonate based liquid membranes, 209

Voidage
A generalized correlation for equilibrium of forces in liquid–solid fluidized beds, 7

Wall absorption
Influence of secondary flow on diffusion with heterogeneous reaction, 15
Waste plastics
Kinetics of polystyrene pyrolysis in a conical spouted bed reactor, 91